

ADDING IMAGES

HTML

```

```

RESULT

HEIGHT & WIDTH OF IMAGES

HTML

```

```

RESULT

WHERE TO PLACE IMAGES IN YOUR CODE

HTML

```

<p>There are around 10,000 living species
of birds that inhabit different ecosystems
from the Arctic to the Antarctic. Man
species undertake long distance annual
migrations, and many more perform shorter
irregular journeys.</p>
```

RESULT



There are around 10,000 living species of birds that inhabit different ecosystems from the Arctic to the Antarctic. Many species undertake long distance annual migrations, and many more perform shorter irregular journeys.

WHERE TO PLACE IMAGES IN YOUR CODE

HTML

```
<p>There are
around 10,000 living species of birds that
inhabit different ecosystems from the
Arctic to the Antarctic. Man species
undertake long distance annual migrations,
and many more perform shorter irregular
journeys.</p>
```

RESULT



There are around 10,000 living species of birds that inhabit different ecosystems from the Arctic to the Antarctic. Many species undertake long distance annual migrations, and many more perform shorter irregular journeys.

WHERE TO PLACE IMAGES IN YOUR CODE

HTML

```
<p>There are around 10,000 living species  
of birds that inhabit different  
  
ecosystems from the Arctic to the  
Antarctic. Man species undertake long  
distance annual migrations, and many more  
perform shorter irregular journeys.</p>
```

RESULT

There are around 10,000 living species of birds that inhabit different



ecosystems from the Arctic to the Antarctic. Many
species undertake long distance annual migrations, and many more
perform shorter irregular journeys.

OLD CODE: ALIGNING IMAGES HORIZONTALLY

HTML

```
<p>
There are around 10,000 living species of
birds that inhabit different ecosystems
from the Arctic to the Antarctic. Many
species undertake long distance annual
migrations, and many more perform shorter
irregular journeys.</p>
```

RESULT



There are around 10,000 living species of birds that inhabit different ecosystems from the Arctic to the Antarctic. Many species undertake long distance annual migrations, and many more perform shorter irregular journeys.

OLD CODE: ALIGNING IMAGES HORIZONTALLY

HTML

```
<p>
There are around 10,000 living species of
birds that inhabit different ecosystems
from the Arctic to the Antarctic. Many
species undertake long distance annual
migrations, and many more perform shorter
irregular journeys.</p>
```

RESULT

There are around 10,000 living species of birds that inhabit different ecosystems from the Arctic to the Antarctic. Many species undertake long distance annual migrations, and many more perform shorter irregular journeys.



OLD CODE: ALIGNING IMAGES VERTICALLY

HTML

```
<p>
```

There are around 10,000 living species of birds that inhabit different ecosystems from the Arctic to the Antarctic. Many species undertake long distance annual migrations, and many more perform shorter irregular journeys.</p>

RESULT



There are around 10,000 living species of birds that inhabit different ecosystems from the Arctic to the Antarctic. Many species undertake long distance annual migrations, and many more perform shorter irregular journeys.

OLD CODE: ALIGNING IMAGES VERTICALLY

HTML

```
<p>
```

There are around 10,000 living species of birds that inhabit different ecosystems from the Arctic to the Antarctic. Many species undertake long distance annual migrations, and many more perform shorter irregular journeys.</p>

RESULT



There are around 10,000 living species of birds that inhabit different ecosystems from the Arctic to the Antarctic. Many species undertake long distance annual migrations, and many more perform shorter irregular journeys.

OLD CODE: ALIGNING IMAGES VERTICALLY

HTML

```
<p>
```

There are around 10,000 living species of birds that inhabit different ecosystems from the Arctic to the Antarctic. Many species undertake long distance annual migrations, and many more perform shorter irregular journeys.</p>

RESULT



There are around 10,000 living species of birds that inhabit different ecosystems from the Arctic to the Antarctic. Many species undertake long distance annual migrations, and many more perform shorter irregular journeys.

HTML5: FIGURE & FIGURE CAPTION

HTML

```
<figure>
  
  <br />
  <figcaption>Sea otters hold hands when
              they sleep so that they don't
              drift away from each other.
</figcaption>
</figure>
```

RESULT



Sea otters hold hands when they sleep so they don't drift away from each other.

SUMMARY

The `` element is used to add images to a web page.

SUMMARY

You must always specify an `src` attribute to indicate the source of an image and an `alt` attribute to describe the content of an image.

SUMMARY

You should save images at the size you will be using them on the web page and in the appropriate format.

SUMMARY

Photographs are best saved as JPEGs; illustrations or logos that use flat colors are better saved as GIFs.